

# Dogwood Bliss



Brite

Quilts designed by Jean Ann Wright for Blank Quilting  
Finished Size is 82" x 82"



Black



TM

# Dogwood Bliss

Quilt designed by Jean Ann Wright for Blank Quilting

Finished Size: 82" x 82"

Block Size: 12" x 12"

All seam allowances are 1/4". Read all directions before beginning. Press all seams as you sew.

## Fabric Requirements:

	Rust Version	Black Version
Fabric A: 2-1/2 yd large Dogwood	M5436 Rust	M5436 Black
Fabric B: 1-3/4 yd small Dogwood	M5438 Rust	M5438 Black
Fabric C: 3/4 yd leaves	M5439 Sage	M5439 Camel
Fabric D: 1-1/2 yd leaves and vines	M5440 Ivory	M5440 Cream
Fabric E: 1 yd plaid	M5441 Sage	M5441 Camel
Fabric F: 2 yd Crème de la Crème	5094 Vanilla	5030 Pudding

## Cutting Directions:

**Fabric A:** (8) 7-1/2" WOF strips, sew together end-to-end in (4) sets of two for outside border strips. (4) fussy cut 6-1/8" squares.

**Fabric B:** (5) 6-1/8" x WOF strips, recut into (28) 6-1/8" squares (4) 2-1/2" x WOF strips. Recut (2) strips 30-1/2" long for vertical borders and (2) strips 34-1/2" long for horizontal borders.

**Fabric C:** (5) 4-1/2" WOF strips, sew together end-to-end and recut (2) 36-1/2" vertical borders and (2) 44-1/2" horizontal borders (1) 2-1/2" x WOF strip, recut into (9) 2-1/2" squares.

**Fabric D:** (4) 6-1/8" x WOF strips recut into (16) 6-1/8" x 9" rectangles. Fold each rectangle in half lengthwise and press the fold line. Using the 45° mark on your ruler, position the ruler on the outside edge of the fold line towards the center of the rectangle and cut on the diagonal line. It will be necessary to trim these pieces. Measure from the point to the straight edge and cut to 6-1/4". See diagram in sewing directions. (1) 4-7/8" x WOF strip, recut (2) 4-7/8" squares, then cut in half on diagonal once for (4) triangles (2) 9-1/4" x WOF strips, recut (6) 9-1/4" squares, then cut in half on diagonal twice for (24) triangles.

**Fabric E:** (4) 1-1/2" x WOF strips. Recut (2) 34-1/2" vertical borders and (2) 36-1/2" horizontal borders (9) 2-1/2" x WOF strips and sew together end-to-end. Recut (2) 64-1/2" vertical borders and (2) 68-1/2" horizontal strips.


**Fabric F:** (4) 2-1/2" x WOF strips, recut into (12) 2-1/2" x 12-1/2" sashing strips (1) 5-1/4" x WOF strip, recut into (4) 5-1/4" squares, then cut on diagonal twice for (16) triangles (4) 4-1/2" x WOF strips, recut into (36) 4-1/2" squares for picot folded flying geese pieces (2) 9-1/4" x WOF strips, recut into (7) 9-1/4" squares, then cut on diagonal twice for 28 triangles using remainder of 2nd 9-1/4" strip trim to 4-7/8" and cut (2) 4-7/8" squares, then cut on the diagonal once for (4) triangles. (7) 2-1/2" x WOF strips for border #4. Join strips and recut to make 2 side (vertical) and 2 horizontal borders

**Backing:** 5 yd Fabric E – cut backing fabric in half for (2) pieces, sew together along selvedge edges for backing.

**Binding:** 2/3 yd Fabric C - Cut (9) fabric H 2-1/4" x WOF strips and sew together end-to-end.

## Sewing:

1. To make the four center blocks, sew a fabric D arrow shaped piece to opposite sides of a fussy cut square A for the center diagonal row. Sew a triangle F to each side of the two remaining fabric D arrow shaped pieces to make large side triangle units. Sew the two large triangle units to the two long sides of the center diagonal row to complete the block, Make 4.



2. Sew the blocks together in sets of two, separating the blocks with a fabric F sashing strip. Add a fabric F sashing strip to both ends of the blocks. Make 2 block rows.

3. Sew the remaining (6) sashing strips into a row (2) sashing strips each, separating the sashing strips with (3) fabric C 2-1/2" squares to complete the row. Make 3 sashing rows.


4. Alternate the (3) sashing rows with the (2) blocks rows to complete the quilt center.

5. Sew the 2-1/2" fabric B vertical borders to both sides of the quilt center. Sew the fabric B horizontal borders to the top and bottom of the quilt center.

6. Sew the fabric E 1-1/2" vertical borders to opposite sides of the quilt center. Sew the fabric E 1-1/2" horizontal borders to the top and bottom of the quilt center.



7. Fold the fabric F 4-1/2" squares in half to form a rectangle. Press fold line.

Turn the outside corner of the folded edges down to the center of the bottom of the rectangle, aligning raw edges. Press the diagonal fold lines on each side to complete the picot flying geese unit. Make 36 units.



Sewing instructions continued on next page.

8. Align raw edges of flying geese units to raw edges of the right side of border E. Folded center of flying geese unit should face down towards the right side of the quilt and baste in place. Repeat for all four sides of the quilt center.
- 9A. Place fabric C vertical borders on top of flying geese units on both sides of the quilt center. Sew in place. Fold fabric C border out and press fold line. Repeat process to sew fabric C horizontal borders in place on the top and bottom of the quilt center.
- 9B. Sew the fabric F vertical borders to opposite sides of the quilt center. Sew fabric F horizontal borders to top and bottom of the quilt center.
10. Refer to the diagram. Make 2 (top) horizontal borders and 2 (side) vertical borders. Side borders have 6 fabric B squares 5 large fabric D triangles and 2 small fabric D triangles along the bottom edge and 5 fabric F triangles along the top edge. Make 4.
11. Sew the border corner units with 1 fabric B square, two large fabric F triangles and 1 small fabric F triangle. Make 4.



12. Sew the borders made in step 10 to both sides of the quilt center, then to the top and bottom of the quilt center. Sew the 4 corner units in place.
13. Sew the fabric E 2-1/2" vertical borders to opposite sides of the quilt center. Sew the fabric E horizontal borders to the top and bottom of the quilt center.
14. Sew the fabric A vertical borders the opposite sides of the quilt. Sew the horizontal borders to the top and bottom of the quilt.

### Finishing:

15. Layer the quilt top, batting and backing. Baste, then quilt the layers together.
16. Fold the binding strips over lengthwise and press, then sew to quilt top raw edges together. Turn binding to back of quilt and stitch in place.

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.

