

Name Above All Names



Fabric designed by Krista Hamrick
 Quilt designed and sewn by Debby Kratovil
 Quilted by Connie Gallant
 Finished size: 43" x 50"



TM

Name Above All Names

Finished Size: 43" x 50"

Fabric designed by Krista Hamrick
Quilt designed and sewn by Debby Kratovil
Quilted by Connie Gallant

All seam allowances are 1/4". Please read all directions before beginning and press carefully after each step.

Fabric Requirements:

One complete panel 5487 Olive
Fabric A: 1/4 yd M3708 Pool
Fabric B Fat 8th M3708 Spice
Fabric C: 1/4 yd M3708 Gold
Fabric D: 1/4 yd M3708 Pistachio
Fabric E: 1/2 yd M3708 Lapis
Fabric F: 1-1/2 yds 5488 (for borders)
Fabric G: 1/2 yd 5202 Stripe (binding)
Four 5-1/2" squares fusible interfacing
2-1/2 yds backing fabric
Crib sized batting
Thread to match Fabric C for machine appliqué

Cutting Directions:

1. Trim panel (5487) to 22-1/2" x 40-1/2", centering the design.
2. Cut four squares 5-1/2" from Fabric B. Transfer fusible interfacing to the wrong side of each square. Using the template provided (note page 4), cut out four photo corners.
3. From Fabric E cut eight squares 5-7/8". Recut each square into two triangles each.
4. From both Fabric C and Fabric D cut four squares 6-1/4". Recut each square into four triangles each.
5. From Fabric A cut two strips 1-1/2" x Width of Fabric (WOF).
6. From Fabric F cut two strips 5-1/2" x 41" **ALONG THE LENGTH** of the fabric (parallel to the selvedge). Also cut two strips 5-1/2" x WOF.

Sewing Directions:

1. Sew the triangle units together as shown in Diagram 1 using the Fabric C, D and E triangles. Make a total of 16 units as shown, 8 of each. These units are mirror images of each other and are **NOT** the same (note color placement).




Diagram 1

Sewing directions for panel quilt continued on page 3.

2. Place a Fabric B photo corner unit in each of the four corners of the panel. Pin in place and using a machine zigzag stitch, appliqué in place (Diagram 2).
3. Sew the triangle units from Step 1 above into a vertical row, using four of Unit 1 and four of Unit 2 for EACH row. Take care to turn the units so they form a mirror image in the center. Make two of these side border rows. See Diagram 3.
4. Sew the quilt center together as shown in Diagram 4, adding the Fabric A strips to the two sides.
5. The quilt now measures 34-1/2" x 40-1/2". Adjust your vertical border units if need be and sew to quilt sides.
6. Measure quilt width and trim the two horizontal border strips to fit and sew to the quilt top and bottom.





Diagram 2



Left Row

Right Row

Diagram 3





Diagram 4

Finishing:

1. Cut five strips 2-3/4" x WOF of the striped binding fabric. Sew into long strip and fold in half lengthwise, wrong sides together.
2. Layer quilt top, batting and backing, baste and quilt as desired.
3. Sew the binding onto the quilt BACK and bring to the front and stitch down with either a hand or machine stitch.



While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.



© 2008 Blank Quilting • All rights reserved
2 Bridge Street, Suite 220, Irvington, NY 10533 • Toll Free: 888-442-5265 • Fax 914-478-4278 • www.BlankQuilting.com